

DC1500 Colorimeter Series



Tablet or Liquid VersionsWaterproof () USB CapableRechargeable

Industry-Leading Precision, Sensitivity, & Dependability!

1.800.561.8187



information@itm.com



DC1500 Colorimeter Kits

- Field & Lab Use: USB cable and wall adapter included; car charger optional
- Rechargeable battery: No need to buy batteries again
- EPA Compliant: Uses proper wavelength and DPD test method to meet EPA design specifications for NPDWR and NPDES chlorine monitoring programs (EPA 330.5 and Standard Method 4500)
- **0-4 ppm Chlorine**: No need to select a low or high range. The DC1500 covers the entire critical chlorine range of 0-4 ppm with an MDL of 0.03 ppm
- A Great Value: Complete, economical package! The DC1500 Chlorine Colorimeter Kit includes tablets for 100 tests or liquid reagents for 140 tests, six sample vials, and a sturdy carrying case.
- IP67 Waterproof Design: Designed with excessive exposure to moisture in mind, the DC1500 colorimeter delivers troublefree performance
- Bold, backlit display
- European CE Mark
- USB port



1.800.561.8187



information@itm.com

- Features include:
- Large graphical liquid crystal display
- Simple, menu-driven operation
- Lithium ion rechargeable battery and computer/ wall adapter
- IP67 Waterproof
- Backlit display
- Auto-off
- USB port
- European CE mark

Additional advancements include:

- Superior narrow bandwidth interference filters
- Optional software for data storage and manipulation

Available Kits:

| Test Factor | Code | Model | Range (ppm) | Detection Limit | Test Method (# of reagents) | # of Tests | Ship Codes |
|-------------------------|---------|--------------|----------------|--------------------|-------------------------------|---------------|---------------|
| Ammonia Nitrogen | 3241 | DC1500-NH | 0-5.0 | 0.05 | Nessler (2) | 60 | R1 |
| Chlorine (Free & Total) | 3240 | DC1500-CL | 0-4.0 | 0.05 | DPD Tablets (2) | 100 | NH |
| Chlorine (Free & Total) | 3240-LI | DC1500-CL-LI | 0-4.0 | 0.05 | DPD Liquid (3) | 140 | R1 |
| Chlorine Dioxide | 3244 | DC1500-CL0 | 0-7.0 | 0.05 | DPD with Glycine Solution (2) | 100 | NH |
| Copper | 3245 | DC1500-CO | 0-6.0 | 0.03 | Diethyldithiocarbamate (1) | 100 | NH |
| Fluoride | 3243 | DC1500-FL | 0-2.0 | 0.1 | Alizarin-Zirconyl (2) | 100 | LQ |
| Iron | 3248 | DC1500-FE | 0-5.0 | 0.25 | 1,10 Phenanthroline (2) | 100 | R1 |
| Molybdenum | 3246 | DC1500-MO | 0-30 | 0.5 | Thioglycolate (3) | 50 | R3 |
| Ozone | 3249 | DC1500-0Z | 0-0.4 | 0.04 | Indigo Blue (3) | 100 | NH |
| Phosphate | 3242 | DC1500-PLR | 0-3.0 | 0.07 | Ascorbic Acid (2) | 100 | R2 |
| Sulfate | 3247 | DC1500-SU | 0-100 | 1.0 | Barium Chloride (1) | 100 | R1 |
| | | | | | | | |

Also available: Model 1500-UDV Absorbance Meter

For 10mm cuvettes
Order Code 3250





Meter Specifications:

| Readout: | 160 x 100 backlit LCD, 20 x 6 line graphical display |
|--------------------------|---|
| Wavelength Accuracy: | ±2% FS |
| Wavelength Bandwidth: | 10 nm typical |
| Light Source: | LED |
| Detector: | Silicon photodiode with integrated interference filter |
| Modes: | Pre-programmed test, absorbance, %T |
| Languages: | English, Spanish, French, Portuguese, Italian, Chinese, Japanese |
| Sample Chamber: | 25 mm diameter flat bottom test tubes |
| USB Port: | Mini USB |
| Power: | Lithium ion rechargeable battery, 3.7v, 2.5 x .75 inches, 1.7 oz. or USB computer cable or wall adapter |
| Battery: | Charge Life: Approx. 380 tests with backlight on to 1000 tests with backlight off. |
| Battery Life: | Approx. 500 charges |
| Auto Shut-off: | Disabled, 5, 10, 50 minutes |
| CE Mark: | Yes |
| Shipping Weight | 8 lbs |
| Shipping Size (LxWxH) | 17 x 16 x 9 |

1.800.561.8187



information@itm.com

Replacement Reagents for DC1500 Chlorine

Liquid Reagents

| • | - | | | | |
|------------------|----------|--------------|------------------|----------|--------------|
| 30 mL (1 oz.) | Code | Ship Code | 60 mL (2 oz.) | Code | Ship Code |
| DPD 1A | P-6740-G | NH | DPD 1A | P-6740-H | NH |
| DPD 1B | P-6741-G | R2 | DPD 1B | P-6741-H | R2 |
| DPD 3 | P-6743-G | NH | DPD 3 | P-6743-H | NH |

Tablet Reagents

| Tablet | 50 | 100 | 1000 | Ship Code |
|-----------------------------|---------|---------|---------|--------------|
| Chlorine DPD #1 Instrument* | 6903A-H | 6903A-J | 6903A-M | NH |
| Chlorine DPD #3 Instrument* | 6197A-H | 6197A-J | 6197A-M | NH |
| Chlorine DPD #4 Instrument* | 6906A-H | 6906A-J | 6906A-M | NH |

* Instrument DPD featuring new ultra-clear fast dissolving tablets.







DPD Powder Pop[®] Dispenser

LaMotte now offers the Powder Pop Dispenser – a hand held, single-dose dispenser for 10 mL samples that delivers a precise pre-measured dose of DPD reagent directly to your sample. Each Powder Pop kit includes enough reagent for 400 tests.

To Order:

Free Chlorine Powder Pop Dispenser (Order Code 3-0032) Total Chlorine Powder Pop Dispenser (Order Code 3-0033)

Chlorine Standards

Secondary standards provide a fast way to check calibration without the burden of making primary standards. Based on Standard Methods for the Examination of Water and Wastewater, the operator can calibrate a colorimeter using a permanganate primary standard or a chlorine primary standard. Once the meter is calibrated using the primary standard, the operator can insert secondary standards periodically to evaluate the calibration of the instrument.



- Secondary standard kit contains a blank and 3 standards for low, mid-range, and high chlorine calibrations.
- Packaged in a small plastic case with Certificate of Analysis stating range of each standard.

To Order:

DPD Chlorine Secondary Standards, Order Code 4140-02 FAS-DPD Titration Kit for Chlorine Titration, Order Code 3176-02 Standard Chlorine Solution, 250 ppm, Order Code 6973-H (60 mL), Order Code 6973-L (475 mL) Permanganate Solution, 1000 ppm, Order Code 3858-H (60 mL)



1.800.561.8187



information@itm.com