\$FLIR



3 MEGA PIXEL CORNER CAMERA

Ariel™ 3MP Corner

The Ariel™ 3MP Corner Camera features a unique corner-shape form factor and extended field of view lens that provides ceiling-to-floor and wall-to-wall coverage. Due to its corner mounting, ligature-free housing and discrete infrared illumination, the Ariel 3 MP Corner camera is an ideal solution for any deployment that requires full coverage from a single camera — including correctional institutions, healthcare facilities, building lobbies and elevators.



DURABLE HOUSING

A rugged, no-ligature housing resists tampering, yet its sleek design makes it suitable for both industrial and commercial locations.



EXTENDED FIELD OF VIEW

The camera's specialty lens provides ceiling-to-floor and wall-to-wall coverage with no blind spots.



COVERT LOW LIGHT COLOR AND IR PERFORMANCE

The camera delivers extreme color sensitivity and IR illumination that is imperceptible to the human eye.



SPECIFICATIONS

Camera				
Image Sensor	1/2.8" BSI CMOS			
Sensor Resolution	2048 x 1536			
Scanning Mode	Progressive			
Sensitivity	0.02 (color)/0.01 (BW), 0 Lux with IR illuminator ON, measured at 30 IRE			
Lens Type	2.1mm, 120° HFOV x 90° VFOV, F1.8, D/N			
AES	1/1.75 to 1/10,000 (auto)			
DSS	max. shutter 1/7.5(6.25)~1/60(50) / min.			
White Balance	Auto / ATW / Manual / One Push			
AGC	Auto			
BLC	On / Off			
WDR	On / Off			
Noise Reduction	3D			
Tamper Detection	Yes			
Privacy Zones	Yes			
Video Motion Detection	Yes			
Day/Night Mode	Yes			
Mechanical IR Cut Filter	Yes			
Signal to Noise Ratio	±50 dB			
ONVIF Compliance	Onvif Profile S & G			
Audio Intensity Detection	Yes			
Video				
Compression	Fully compliant multi-stream H.264 main/high profile + MJPEG			
Max Performance	H.264 30/25 fps@QXGA + SVGA(NTSC/PAL) or H.264 15/12 fps@QXGA +1280x960 + SVGA (NTSC/PAL)			
Resolution Range	Scalable from SVGA to 3MP			
Bandwidth	Configurable between 64Kbps and 20Mbps			
Rate Control	CVBR			
SD Card Recording	microSDXC up to 128GB (Class 10)			
IR Illuminator	·			
Distance	up to 10 m (33 ft.)			
Angle of illumination	ull 60°			
LED Type	high efficiency SMD			
Peak Emission Wavelenegth (nm)	940			

Network				
Network Protocols	TCP, UDP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, RTSP, RTCP, PPPoE, NTP, UPnP, SMTP, SNMP, IGMP, 802.1X, QoS, IPv4, IPv6, SSL, LDAP			
Ethernet	10/100, auto sensing, half / full duplex (RJ45)			
Remote Configuration	via web browser or supported video management software			
Firmware Upgrade	Flash memory for upgrade of camera firmware over the netwo			
Supported Web Browser	Internet Explorer 10+, Firefox 50+, Chrome 55+			
Security	User account with password protection and IP filter			
Audio				
Input	uilt in Microphone, G.711 a/μ-law, AAC support			
Output	Yes (from HW revision 02.00)			
Alarm				
Input	1 Dry Alarm Contact			
Output	1 Relay Contact			
Physical	'			
Enclosure	IK10+50 Joule Impact Resistant / IP66			
Dimensions	184 x 179 x 59 mm			
Unit Weight	1.21kg(2.67 lbs.)			
Mechanical	'			
Lens / IR Window	IK10 Vandal Resistant Polycorbonate			
Lens Window Transmittance	45%			
Electrical	'			
Input Voltage	802.3af PoE			
Power Consumption	3.4W / 9.4W with heater and IR			
Power Connection	PoE			
Environmental	·			
Operating Temperature	-40°C to 50°C (-40°F to 122°F)			
Storage Temperature	-40°C to 60°C (-40°F to 140°F)			
Humidity	90% (non-condensing)			
Warranty & Regulatory	·			
Warranty	According to FLIR RMA Policy and Process Notice document			
USA	UL 60950, FCC Part 15 (subpart B, class A)			
International	CE marked, EN61000-6-3 & EN50130-4, RoHS, RCM			
MTBF (hrs)	hrs) 382,189			

Camera Ordering Information

Type	Series	Camera Resolution	Lens Options	Environmental	IR Illuminator	
CC	31	03	0	1	I	
Corner Camera	31 = Ariel Gen II	03 = 3 MP	0 = 2.1mm	1 = IP66 Vandal with Heater	I = 60° Illuminator	

The World's Sixth Sense®

 $Specifications \ are \ subject \ to \ change \ without \ notice.$

Equipment described herein is subject to US export regulations and may require a license prior to export. Diversion contrary to US law is prohibited. Imagery for illustration purposes only. Specifications are subject to change without notice. ©2019 FLIR Systems, Inc. All rights reserved. Rev. 08/14/19

19-0582-SEC-ENT Ariel Corner Camera Datasheet



